





SIGALUX Economical MR16 2094



Product reference	Product number	W	lm	cd	K	Ra			\varnothing d(mm)	$\frac{l}{[mm]}$	
MR16 2094	4050497 2094	2	130	600	3000	70	GU5.3	no	50	48	15°

Product Features


- 12V AC
- Lifetime: 15000h
- IEC standard size
- Compatible with existing fixtures
- Free of mercury

Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets
- Maybe used outdoors only in outdoor fixtures




Product Benefits

- Warm white 3000K and 130lm
- Low power consumption
- Low thermal output (compared to the halogen MR16)
- Ideal for decorative applications



SIGALUX Economical MR16 2094/GU10 2095/JDR 2096/JDR 2097



Product reference	Product number	V	W	lm	cd	K	Ra			∅[mm]	l [mm]	
MR16 2094	4050497 2094	12	2	130	600	3000	70	GU5.3	no	50	48	15°
GU10 2095	4050497 2095	220-240	2	130	600	3000	70	GU10	no	50	57	15°
JDR 2096	4050497 2096	220-240	2	130	600	3000	70	E14	no	50	73	15°
JDR 2097	4050497 2097	220-240	2	130	600	3000	70	E27	no	50	73	15°

Product Features

- Lifetime: 15000h
- IEC standard size
- Compatible with existing fixtures
- Free of mercury

Product Benefits


- Warm white 3000K and 130lm
- Available in GU5.3, GU10, E14, E27 base
- Low power consumption
- Low thermal output (compared to the halogen MR16, GU10, PAR16)
- Ideal for decorative applications




Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets
- Maybe used outdoors only in outdoor fixtures



SIGALUX Economical MR16 2084/2085



Product reference	Product number	W	lm	cd	K	Ra			\varnothing d[mm]	$\frac{l}{[mm]}$	
MR16 2084	4050497 2084	3	210	80	6500	70	GU5.3	no	50	48	100°
MR16 2085	4050497 2085	3	180	70	3000	70	GU5.3	no	50	48	100°

Product Features


- Lifetime: 30000h
- IEC standard size
- Compatible with existing fixtures
- Free of mercury

Product Benefits





- Warm white and cool white available
- Low power consumption
- Ideal for decorative applications

Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets
- Maybe used outdoor only in outdoor fixtures



SIGALUX Economical MR16 2084/2085/GU10 2073/2074/JDR 2086/2087/2088/2089



Product reference	Product number	V	W	lm	cd	K	Ra			∅ d(mm)	$\frac{l}{l}$ [mm]	
MR16 2084	4050497 2084	12	3	210	80	6500	70	GU5.3	no	50	48	15°
MR16 2085	4050497 2085	12	3	180	70	3000	70	GU5.3	no	50	48	15°
GU10 2073	4050497 2073	220-240	2.7	210	80	6500	70	GU10	no	50	57	15°
GU10 2074	4050497 2074	220-240	2.7	180	70	3000	70	GU10	no	50	57	15°
JDR 2086	4050497 2086	220-240	2.7	210	80	6500	70	E14	no	50	73	15°
JDR 2087	4050497 2087	220-240	2.7	180	70	3000	70	E14	no	50	73	15°
JDR 2088	4050497 2088	220-240	2.7	210	80	6500	70	E27	no	50	73	15°
JDR 2089	4050497 2089	220-240	2.7	180	70	3000	70	E27	no	50	73	15°

Product Features

Lifetime: 30000h
Free of mercury

Product Benefits


Warm white and cool white available
Available in GU5.3, GU10, E14, E27 base
Low power consumption
Ideal for decorative applications



Product Applications

Directional light sources
Shop windows
Spotlighting
Retail outlets
Maybe used outdoors only in outdoor fixtures



SIGALUX Economical GU10 2095



Product reference	Product number	W	lm	cd	K	Ra			\varnothing [mm]	$\frac{l}{[mm]}$	Δ°
GU10 2095	4050497 2095	2	130	600	3000	70	GU10	no	50	57	15°

Product Features


- Lifetime: 15000h
- IEC standard size
- Compatible with existing fixtures
- Free of mercury

Product Benefits





- Warm white 3000K and 130lm
- Low power consumption
- Low thermal output (compared to conventional)
- Ideal for decorative applications

Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets
- Maybe used outdoors only in outdoor fixtures



SIGALUX Economical MR16 2094/GU10 2095/JDR 2096/JDR 2097



Product reference	Product number	V	W	lm	cd	K	Ra			∅ d(mm)	l [mm]	
MR16 2094	4050497 2094	12	2	130	600	3000	70	GU5.3	no	50	48	15°
GU10 2095	4050497 2095	220-240	2	130	600	3000	70	GU10	no	50	57	15°
JDR 2096	4050497 2096	220-240	2	130	600	3000	70	E14	no	50	73	15°
JDR 2097	4050497 2097	220-240	2	130	600	3000	70	E27	no	50	73	15°

Product Features

- Lifetime: 15000h
- IEC standard size
- Compatible with existing fixtures
- Free of mercury

Product Benefits


- Warm white 3000K and 130lm
- Available in GU5.3, GU10, E14, E27 base
- Low power consumption
- Low thermal output(compared to the halogen MR16,GU10,PAR16)
- Ideal for decorative applications




Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets
- Maybe used outdoors only in outdoor fixtures



SIGALUX Economical GU10 2073/2074



Product reference	Product number	W	lm	cd	K	Ra			\varnothing [mm]	$\frac{l}{[mm]}$	
GU10 2073	4050497 2073	2.7	210	80	6500	70	GU10	no	50	57	100°
GU10 2074	4050497 2074	2.7	180	70	3000	70	GU10	no	50	57	100°

Product Features


- Lifetime: 30000h
- Compatible with most of the existing fixtures
- Free of mercury

Product Benefits





- Warm white and cool white available
- Low power consumption
- Low thermal output(compared to the halogen GU10)
- Ideal for decorative applications

Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets
- Maybe used outdoors only in outdoor fixtures



SIGALUX Economical MR16 2084/2085/GU10 2073/2074/JDR 2086/2087/2088/2089



Product reference	Product number	V	W	lm	cd	K	Ra			\varnothing d[mm]	$\frac{l}{[mm]}$	
MR16 2084	4050497 2084	12	3	210	80	6500	70	GU5.3	no	50	48	15°
MR16 2085	4050497 2085	12	3	180	70	3000	70	GU5.3	no	50	48	15°
GU10 2073	4050497 2073	220-240	2.7	210	80	6500	70	GU10	no	50	57	15°
GU10 2074	4050497 2074	220-240	2.7	180	70	3000	70	GU10	no	50	57	15°
JDR 2086	4050497 2086	220-240	2.7	210	80	6500	70	E14	no	50	73	15°
JDR 2087	4050497 2087	220-240	2.7	180	70	3000	70	E14	no	50	73	15°
JDR 2088	4050497 2088	220-240	2.7	210	80	6500	70	E27	no	50	73	15°
JDR 2089	4050497 2089	220-240	2.7	180	70	3000	70	E27	no	50	73	15°

Product Features

- Lifetime: 30000h
- IEC standard size
- Compatible with existing fixtures
- Free of mercury

Product Benefits



- Warm white and cool white available
- Available in GU5.3, GU10, E14, E27 base
- Low power consumption
- Ideal for decorative applications



Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets
- Maybe used outdoors only in outdoor fixtures



SIGALUX Economical JDR 2096/2097



Product reference	Product number	W	lm	cd	K	Ra			\varnothing (mm)	$\frac{l}{[mm]}$	\triangle°
JDR 2096	4050497 2096	2	130	600	3000	70	E14	no	50	73	15°
JDR 2097	4050497 2097	2	130	600	3000	70	E27	no	50	73	15°

Product Features


- Lifetime: 15000h
- IEC standard size
- Compatible with existing fixtures
- Free of mercury

Product Benefits





- Warm white 3000K
- Available in E14 and E27 base
- Low power consumption
- Low thermal output(compared to halogen PAR16)
- Ideal for decorative applications




Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets



SIGALUX Economical MR16 2094/GU10 2095/JDR 2096/JDR 2097



Product reference	Product number	V	W	lm	cd	K	Ra			∅ d[mm]	l [mm]	
MR16 2094	4050497 2094	12	2	130	600	3000	70	GU5.3	no	50	48	15°
GU10 2095	4050497 2095	220-240	2	130	600	3000	70	GU10	no	50	57	15°
JDR 2096	4050497 2096	220-240	2	130	600	3000	70	E14	no	50	73	15°
JDR 2097	4050497 2097	220-240	2	130	600	3000	70	E27	no	50	73	15°

Product Features

- Lifetime: 15000h
- IEC standard size
- Compatible with existing fixtures
- Free of mercury

Product Benefits



- Warm white 3000K and 130lm
- Available in GU5.3, GU10, E14, E27 base
- Low power consumption
- Low thermal output(compared to the halogen MR16,GU10,PAR16)
- Ideal for decorative applications




Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets
- Maybe used outdoors only in outdoor fixtures



SIGALUX Economical JDR 2086/2087/2088/2089



Product reference	Product number	W	lm	cd	K	Ra			\varnothing d[mm]	l [mm]	
JDR 2086	4050497 2086	2.7	210	80	6500	70	E14	no	50	73	15°
JDR 2087	4050497 2087	2.7	180	70	3000	70	E14	no	50	73	15°
JDR 2088	4050497 2088	2.7	210	80	6500	70	E27	no	50	73	15°
JDR 2089	4050497 2089	2.7	180	70	3000	70	E27	no	50	73	15°

Product Features


- Lifetime: 30000h
- Compatible with existing fixtures
- Free of mercury

Product Benefits





- Warm white and cool white available
- Available in E14 and E27 base
- Low power consumption
- Low thermal output(compared to halogen PAR16)
- Ideal for decorative applications

Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets



SIGALUX Economical MR16 2084/2085/GU10 2073/2074/JDR 2086/2087/2088/2089



Product reference	Product number	V	W	lm	cd	K	Ra			\varnothing d[mm]	l [mm]	
MR16 2084	4050497 2084	12	3	210	80	6500	70	GU5.3	no	50	48	15°
MR16 2085	4050497 2085	12	3	180	70	3000	70	GU5.3	no	50	48	15°
GU10 2073	4050497 2073	220-240	2.7	210	80	6500	70	GU10	no	50	57	15°
GU10 2074	4050497 2074	220-240	2.7	180	70	3000	70	GU10	no	50	57	15°
JDR 2086	4050497 2086	220-240	2.7	210	80	6500	70	E14	no	50	73	15°
JDR 2087	4050497 2087	220-240	2.7	180	70	3000	70	E14	no	50	73	15°
JDR 2088	4050497 2088	220-240	2.7	210	80	6500	70	E27	no	50	73	15°
JDR 2089	4050497 2089	220-240	2.7	180	70	3000	70	E27	no	50	73	15°

Product Features

- Lifetime: 30000h
- IEC standard size
- Compatible with existing fixtures
- Free of mercury

Product Benefits

- Warm white and cool white available
- Available in GU5.3, GU10, E14, E27 base
- Low power consumption
- Ideal for decorative applications

Product Applications

- Directional light sources
- Shop windows
- Spotlighting
- Retail outlets
- Maybe used outdoors only in outdoor fixtures

